

Bibliography of
WAVE DISTRIBUTION FUNCTION ANALYSIS
(March 2011)

Journal articles

André, M. (1997). Waves and wave-particle interactions in the auroral region, *J. Atmos. Solar- Terr. Phys.* 59: 1687-1712. [Abstract](#).

Backrud-Ivgren, M., Stenberg, G., André, M., Morooka, M., Hobara, Y., Joko, S., Rönmark, K., Cornilleau-Wehrin, N., Fazakerley, A., and Rème, H. (2005). Cluster observations and theoretical identification of broadband waves in the auroral region, *Ann. Geophys.* 23: 3739-3752. [Article](#).

Buchalet, L.J., and Lefeuvre, F. (1981). One and two direction models for VLF electromagnetic waves observed on-board GEOS 1, *J. Geophys. Res.* 86: 2377-2383. [Abstract](#).

Cairó, L., and Lefeuvre, F. (1986). Localization of sources of ELF/VLF hiss observed in the magnetosphere: three-dimensional ray-tracing, *J. Geophys. Res.* 91: 4352-4364. [Abstract](#).

Cornilleau-Wehrin, N., et al. (1997). The Cluster spatio-temporal analysis of field fluctuations (STAFF) experiment, *Space Sci. Rev.*, 79: 107-136. [Abstract](#).

Davis, B., Kim, E., and Piepmeier, J.R. (2004). Stochastic modeling and generation of partially polarized or partially coherent electromagnetic waves, *Radio Sci.* 39: RS1001, doi:10.1029/2001RS002512. [Article](#).

Delannoy, C., and Lefeuvre, F. (1986). MAXENTWDF - A computer program for the maximum entropy estimation of a wave distribution function, *Comput. Phys. Comm.* 40: 389-419. [Article](#).

Fung, S.F. (2004). Survey of current situation in radiation belt modeling, *Adv. Space Res.* 34: 1441-1450. [Abstract](#).

Goto, Y., Kasahara, Y., and Sato, T. (2001). Study on direction finding method using wave distribution function with Gaussian distribution model, *Trans. IEICE J84-B*: 263-271 (in Japanese). [Abstract](#).

Goto, Y., Kasahara, Y., and Sato, T. (2002). Study on direction finding method using wave distribution function with Gaussian distribution model, *Electronics and Communications in Japan, Part I: Communications* (English translation of the 2001 paper

cited above) 85 (10): 64-73. [Abstract](#).

Hayakawa, M., Yamanaka, Y., Parrot, M., and Lefeuvre, F. (1984). The wave normals of magnetospheric chorus emissions observed on board GEOS 2, *J. Geophys. Res.* 89: 2811-2821. [Abstract](#).

Hayakawa, M., Ohmi, N., Parrot, M., and Lefeuvre, F. (1986). Direction finding of ELF hiss emissions in a detached plasma region of the magnetosphere, *J. Geophys. Res.* 91: 135-141. [Abstract](#).

Hayakawa, M., Parrot, M., and Lefeuvre, F. (1986). The wave normals of ELF hiss emissions observed onboard GEOS 1 at the equatorial and off-equatorial regions of the plasmasphere, *J. Geophys. Res.* 91: 7899-7999. [Abstract](#).

Hayakawa, M., Parrot, M., and Lefeuvre, F. (1987). The wave distribution functions of plasmaspheric ELF hiss: GEOS 1 observation in the equatorial region, *Mem. Natl. Inst. Polar Res. (Japan), Spec. Issue 47*: 157-172. [Article](#).

Hayakawa, M. (1987). The generation mechanism of ELF hiss in detached plasma regions of the magnetosphere, as based on the direction finding results, *Mem. Natl. Inst. Polar Res. (Japan), Spec. Issue 47*: 173-182. [Article](#).

Hayakawa, M., Hattori, K., Shimakura, S., Parrot, M., and Lefeuvre, F. (1990). Direction finding of chorus emissions in the outer magnetosphere and their generation and propagation, *Planet. Space Sci.* 38: 135-143. [Abstract](#).

Hayakawa, M., Lefeuvre, F., and Rauch, J.-L. (1990). On the system of the Aureol-3 satellite direction finding for ionospheric and magnetospheric ELF waves, *Trans. IEICE E-73*: 942-950. [Abstract](#).

Hayakawa, M., Ohta, K., and Shimakura, S. (1992). Direction finding techniques for magnetospheric VLF waves: recent achievements, *Trends in Geophys. Res.* 1: 157-164.

Hayakawa, M., Tomizawa, I., Ohta, K., Shimakura, S., Fujinawa, Y., Takahashi, K., and Yoshino, T. (1993). Direction finding of precursory radio emissions associated with earthquakes: a proposal, *Phys. Earth Planet. Interiors* 77: 127-135. [Abstract](#).

Hayakawa, M., and Ohta, K. (2006). The importance of direction finding techniques for the study of VLF/ELF sferics and whistlers, *IEEJ Trans. Fundamentals and Materials* 126: 65-70. [Abstract](#).

Hirari, M., and Hayakawa, M. (1995). Simulation study on ground-based direction finding of VLF/ELF radio waves by wave distribution functions: a Bayesian approach, *IEICE Trans. Commun.* E78-B: 923-931. [Abstract](#).

Hirari, M., and Hayakawa, M. (1996a). A Bayesian regularization approach to ill-posed problems with application to the direction finding of VLF/ELF radio waves, *IEICE Trans.*

Commun. E79-B: 63-69. [Abstract](#).

Hirari, M., and Hayakawa, M. (1996b). A neural network for the DOA of VLF/ELF radio waves, IEICE Trans. Commun. E79-B: 1598-1605. [Abstract](#).

Hosotani, A., Ono, T., Kumamoto, A., and Oya, H. (2001). Propagation modes and source locations of the auroral kilometric radiation (AKR) identified by using the wave distribution function method, Advances in Polar Upper Atmosphere Research 15: 117-127. [Article](#).

Iwama, N., Yamaguchi, M., Hattori, K., and Hayakawa, M. (1995). GCV-aided linear reconstruction of the wave distribution function for the ground-based direction finding of magnetospheric VLF/ELF waves, J. Electromagnetic Waves Appl. 9: 757-782. [Abstract](#).

Kasahara, Y., Kenmochi, H., and Kimura, I. (1994). Propagation characteristics of the ELF emissions observed by the satellite Akebono in the magnetic equatorial region, Radio Sci. 29: 751-767. [Abstract](#).

Kasahara, Y., Yoshida, K.-I., Matsuo, T., Kimura, I., and Mukai, T. (1995). Propagation characteristics of auroral hiss observed by Akebono satellite, J. Geomag. Geoelect. 47: 509-525.

Khazanov, G.V., Gamayunov, K.V., Gallagher, D.L., and Kozyra, J.U. (2006). Self-consistent model of magnetospheric ring current and propagating electromagnetic ion cyclotron waves: Waves in multi-ion magnetosphere, J. Geophys. Res. 111: A10202, doi:10.1029/2006JA011833. [Abstract](#).

Khazanov, G.V., Gamayunov, K.V., Gallagher, D.L., and Kozyra, J.U., and Liemohn, M.W. (2007), Self-consistent model of magnetospheric ring current and propagating electromagnetic ion cyclotron waves: 2. Wave-induced ring current precipitation and thermal electron heating, J. Geophys. Res. 112: A04209, doi:10.1029/2006JA012033. [Article](#).

Khazanov, G. V., and Gamayunov, K.V. (2007). Effect of electromagnetic ion cyclotron wave normal angle distribution on relativistic electron scattering in outer radiation belt, J. Geophys. Res. 112: A10209, doi:10.1029/2007JA012282. [Article](#).

Khazanov, G. V., Gamayunov, K.V., Gallagher, D.L., and Kozyra, J.U. (2007). Reply to comment by R. M. Thorne and R. B. Horne on Khazanov et al. [2002] and Khazanov et al. [2006], J. Geophys. Res., 112, A12215, doi:10.1029/2007JA012463. [Article](#).

Lagoutte, D., and Lefeuvre, F. (1985). Multispectral analysis for electromagnetic wave field components in a magnetoplasma: application to narrow-band VLF emissions, J. Geophys. Res. 90A: 4117-4127. [Abstract](#).

Lefeuvre, F., and Delannoy, C. (1979). Analysis of a random electromagnetic wave field

by a maximum entropy method, *Ann. Télécomm.* 34: 204-213. [Abstract](#).

Lefeuvre, F., and Parrot, M. (1979). The use of the coherence function for the automatic recognition of chorus and hiss observed by GEOS, *J. Atmos. Terr. Phys.* 41: 143-152. [Abstract](#).

Lefeuvre, F., Parrot, M., and Delannoy, C. (1981). Wave distribution functions estimation of VLF electromagnetic waves observed onboard GEOS 1, *J. Geophys. Res.* 86: 2359-2375. [Abstract](#).

Lefeuvre, F., Neubert, T., and Parrot, M. (1982). Wave normal directions and wave distribution functions for ground-based transmitter signals observed on GEOS-1, *J. Geophys. Res.* 87: 6203-6217. [Abstract](#).

Lefeuvre, F., and Lagoutte, D. (1983). Bias for spectral density estimates of electromagnetic wave field components in a magnetoplasma, *Ann. Geophys.* 1: 265-270. [Abstract](#).

Lefeuvre, F., and Helliwell, R.A. (1985). Characterization of the sources of VLF hiss and chorus observed on GEOS 1, *J. Geophys. Res.* 90: 6419-6438. [Abstract](#).

Lefeuvre, F., Marouan, Y., Parrot, M. and Rauch, J. L. (1986). Rapid determination of the sense of polarization and propagation for random electromagnetic wave fields. Application to GEOS-1 and AUREOL-3 data, *Ann. Geophys.* 4A: 457-468. [Abstract](#).

Lefeuvre, F., Marouan, Y., Parrot, M. and Rauch, J. L. (1987). Correction to 'Rapid determination of the sense of polarization and propagation for random electromagnetic wave fields. Application to GEOS-1 and AUREOL-3 data'. *Ann. Geophys.* 5A: 251-252.

Lefeuvre, F., and Pinçon, J.L. (1992). Determination of the wave-vector spectrum for plasma waves and turbulence observed in space plasmas, *J. Atmos. Terr. Phys.* 54: 1227-1235. [Abstract](#).

Lefeuvre, F., Parrot, M., Mogilevsky, M., Rauch, J.L., Poirier, B., Delannoy, C., Dumé, J.P., Ferreau, P., Lévêque, M., Martin, P., Moreau, J.M., and Zamora, P. (1998). Multicomponent measurements of waves on-board the Auroral Probe satellite of the INTERBALL project: the MEMO experiment, *Cosmic Res.* 36: 559-574. (English version of *Komicheskie Issledovaniya* 36: 600-616, 1998). [Abstract](#).

Lefeuvre, F., Parrot, M., Rauch, J.L., Poirier, B., Masson, A., and Mogilevsky, M. (1998). Preliminary results from the MEMO multicomponent measurements of waves on-board INTERBALL 2, *Annales Geophysicae* 16: 1117-1136. [Article](#).

Lefeuvre, F., Lagoutte, D. and Menvielle, M. (2000). On the use of the wave distribution function concept to determine the directions of arrivals of radar echoes, *Planet. Space Sci.* 48: 1321-1328. [Abstract](#).

Lundin, B., and C. Krafft, C. (2002). Ion sense of polarization of the electromagnetic wave field in the electron whistler frequency band, *Annales Geophysicae* 20: 1153-1165. [Article](#).

Lysak, R.L., and André, M. (2001). Particle acceleration and wave phenomena in the auroral region, *Phys. Chem. Earth (C)* 26: 3-12. [Article](#).

Menietti, J.D., Santolík, O., Pickett, J.S., and Gurnett, D.A. (2005). High resolution observations of continuum radiation, *Planet. Space Sci.* 53: 283-290. [Abstract](#).

Muto, H., Hayakawa, M., Parrot, M., and Lefeuvre, F. (1987). Direction finding of half-gyro-frequency VLF emissions in the off-equatorial region of the magnetosphere and their generation and propagation, *J. Geophys. Res.* 92: 7538-7550. [Abstract](#).

Oscarsson, T.E., and Rönmark, K.G. (1989). Reconstruction of wave distribution functions in warm plasmas, *J. Geophys. Res.* 94: 2417-2428. [Abstract](#).

Oscarsson, T.E., and Rönmark, K.G. (1990). A combined wave distribution function and stability analysis of Viking particle and low-frequency wave data, *J. Geophys. Res.* 95: 21,187-21,202. [Abstract](#).

Oscarsson, T.E. (1994). Dual principles in maximum entropy reconstruction of the wave distribution function, *J. Comput. Phys.* 110: 221-233. [Abstract](#).

Oscarsson, T., Vaivads, A., Rönmark, K., Clemmons, J.H., de Feraudy, H., and Holback, B. (1997). Toward a consistent picture of the generation of electromagnetic ion cyclotron ELF waves on auroral field lines, *J. Geophys. Res.* 102A: 24,369-24,386. [Abstract](#).

Oscarsson, T., Sternberg, G., and Santolík, O. (2001). Wave mode identification via wave distribution function analysis, *Phys. Chem. Earth (C)* 26: 229-235. [Abstract](#).

Parrot, M., and Lefeuvre, F. (1986). Statistical study of the propagation characteristics of ELF hiss observed on GEOS-1, inside and outside the plasmasphere, *Ann. Geophys.* 4: 363-384. [Abstract](#).

Parrot, M., Lefeuvre, F., and Marouan, Y. (1989). On the direct identification of propagation modes for HF plasma waves, *J. Geophys. Res.* 94: 17,049-17,062. [Abstract](#).

Parrot, M., Lefeuvre, F., Rauch, J.L., Santolík, O., and Mogilevski, M.M. (2001). Propagation characteristics of auroral kilometric radiation observed by the MEMO experiment on Interball 2, *J. Geophys. Res.* 106: 315-325. [Abstract](#).

Pinçon, J.-L., and Lefeuvre, F. (1988). Characterization of a homogeneous field turbulence from multipoint measurements, *Adv. Space Res.*, 8: (9)459-(9)462. [Abstract](#).

Pinçon, J.-L., and Lefeuvre, F. (1991). Local characterization of homogeneous turbulence in a space plasma from simultaneous measurements of field components at several points in space, *J. Geophys. Res.* 96: 1789-1802. [Abstract](#).

Pinçon, J.-L., and Lefeuvre, F. (1992). The application of the generalized Capon method to the analysis of a turbulent field in space plasma: experimental constraints, *J. Atmos. Terr. Phys.*, 10: 1237-1247. [Abstract](#).

Prot, O., Bergounioux, M., and Trotignon, J.-G. (2005). Determination of a power density by an entropy regularization method, *J. Appl. Math.* 2: 127-152. [Article](#).

Prot, O., Santolík, O., Trotignon, J.-G., and Deferaudy, H. (2006), An entropy regularization method applied to the identification of wave distribution function for an ELF hiss event, *J. Geophys. Res.* 111: A06213, doi:10.1029/2005JA011006. [Article](#).

Reiniusson, A., Stenberg, G., Norqvist, P., Eriksson, A.I., and Rönmark, K. (2006). Enhancement of electric and magnetic wave fields at density gradients, *Annales Geophysicae* 24: 367-379. [Article](#).

Rönmark, K. (1987). The evolution of spectral densities in weakly inhomogeneous plasmas, *J. Geophys. Res.* 92: 11,053-11,058. [Abstract](#).

Rönmark, K., and Larsson, J. (1988). Local spectra and wave distribution functions, *J. Geophys. Res.* 93: 1809-1815. [Abstract](#).

Rönmark, K. (1989). Myriametric radiation and the efficiency of linear mode conversion, *Geophys. Res. Lett.* 16 (7): 731–734. [Abstract](#).

Rönmark, K. (1990). Quantitative methods for waves in space plasmas, *Space Sci. Rev.* 54: 1-73. [Abstract](#).

Rönmark, K., and André, M. (1991). Convection of ion cyclotron waves to ion-heating regions, *J. Geophys. Res.* 96: 17,573–17,579. [Abstract](#).

Sakai, T., and Shimakura, S. (2001). Evaluation of the ground-based wave distribution function of VLF radio waves by using full-wave analysis (in Japanese), *Transactions of the Institute of Electrical Engineers of Japan* 121-C: 1287-1288. [Article](#).

Santolík, O., and Parrot, M. (1996a). Measurable parameters of electromagnetic waves in a hot plasma: the extension of the WDF direct problem, *Adv. Space Res.* 17: (10)57-(10)61. [Article](#).

Santolík, O., and Parrot, M. (1996b). The wave distribution function in a hot magnetospheric plasma: the direct problem, *J. Geophys. Res.* 101A: 10,639-10,651. [Article](#).

- Santolík, O., and Parrot, M. (1998). Propagation analysis of electromagnetic waves between the helium and proton gyrofrequencies in the low-altitude auroral zone, *J. Geophys. Res.* 103A: 20,469-20,480. [Article](#).
- Santolík, O., and Parrot, M. (1999). Case studies on the wave propagation and polarization of ELF emissions observed by Freja around the local proton gyrofrequency, *J. Geophys. Res.* 104A: 2459-2475. [Article](#).
- Santolík, O., and Parrot, M. (2000). Application of wave distribution function methods to an ELF hiss event at high latitudes, *J. Geophys. Res.* 105A, 18,885-18,894. [Article](#).
- Santolík, O., Parrot, M., Storey, L.R.O., Pickett, J.S. and Gurnett, D.A. (2001). Propagation analysis of plasmaspheric hiss using Polar PWI measurements, *Geophys. Res. Lett.* 28, 1127-1130. [Article](#).
- Santolík, O., Lefeuvre, F., Parrot, M., and Rauch, J.L. (2001). Propagation of Z-mode and whistler-mode emissions observed by Interball 2 in the nightside auroral region, *J. Geophys. Res.* 106: 21,137-21,146. [Article](#).
- Santolík O., and Gurnett, D.A. (2002). Propagation of auroral hiss at high altitudes, *Geophys. Res. Lett.* 29: doi:10.1029/2001GL013666, 2002. [Article](#).
- Santolík, O., Pickett, J.S., Gurnett, D.A., and Storey, L.R.O. (2002). Magnetic component of narrowband ion cyclotron waves in the auroral zone, *J. Geophys. Res.* 107 (A12): 1444, doi:10.1029/2001JA000146. [Article](#).
- Santolík, O., Pickett, J.S., Gurnett, D.A., Maksimovic, M., and Cornilleau-Wehrin, N. (2002). Spatiotemporal variability and propagation of equatorial noise observed by Cluster, *J. Geophys. Res.* 107 (A12): 1495, doi:10.1029/2001JA009159. [Article](#).
- Santolík, O., Parrot, M., and Lefeuvre, F. (2003). Singular value decomposition methods for wave propagation analysis, *Radio Sci.* 38(1): 1010, doi:10.1029/2000RS002523. [Article](#).
- Santolík, O., Nemeč, F., Parrot, M., Lagoutte, D., Madrias, L., and Berthelier, J.J. (2006). Analysis methods for multi-component wave measurements on board the DEMETER spacecraft, *Planet. Space Sci.* 54: 512-527. [Article](#).
- Santolík, O., Chum, J., Parrot, M., Gurnett, D.A., Pickett, J.S., and Cornilleau-Wehrin, N. (2006). Propagation of whistler mode chorus to low altitudes: Spacecraft observations of structured ELF hiss, *J. Geophys. Res.* 111: A10208, doi:10.1029/2005JA011462. [Article](#).
- Schreiber, R., Santolík, O., Parrot, M., Lefeuvre, F., Hanaš, J., Brittnacher, M., and Parks, G. (2002). Auroral kilometric radiation source characteristics using ray tracing

- techniques, *J. Geophys. Res.* 107 (A11): 1381, doi:10.1029/2001JA009061. [Abstract](#).
- Shawhan, S.D. (1983). Estimation of wave vector characteristics, *Adv. Space Res.* 2 (7): 31-41. [Abstract](#).
- Shawhan, S.D. (1985). The menagerie of geospace plasma waves, *Space Science Reviews* 42: 257-274. [Abstract](#).
- Shimakura, S., Hayakawa, M., Lefeuvre, F., and Lagoutte, D. (1992). On the estimation of wave energy distribution of magnetospheric VLF waves at the ionospheric base with ground-based multiple electromagnetic field components, *J. Geomag. Geoelect.* 44: 573-590.
- Shimakura, S., and Hayakawa, M. (1992). Wave distribution functions of magnetospheric VLF waves with multiple field components: the effect of the polarization model in the integration kernels on the reconstruction of wave distribution function, *IEICE Trans. Fundamentals of Electronics, Communications and Computer Sciences E75-A*: 1014-1019. [Abstract](#).
- Shimakura, S., Ohta, K., and Hayakawa, M. (1992). Wave distribution functions of magnetospheric whistlers at low latitudes, *Res. Lett. Atmos. Elect.* 12: 161-166.
- Sonwalkar, V.S., and Inan, U.S. (1988). Wave normal direction and properties of whistler mode hiss observed on the DE 1 satellite, *J. Geophys. Res.* 93: 7493-7514. [Abstract](#).
- Stenberg, G., Oscarsson, T., André, M., Chaston, C. C. (2002). Investigating wave data from the FAST satellite by reconstructing the wave distribution function, *J. Geophys. Res.* 107 (A8): doi:10.1029/2001JA900154. [Abstract](#).
- Storey, L.R.O., and Lefeuvre, F. (1979). The analysis of 6-component measurements of a random electromagnetic wave field in a magnetoplasma: - I. The direct problem, *Geophys. J. R. Astr. Soc.* 56: 255-270. [Abstract](#).
- Storey, L.R.O., and Lefeuvre, F. (1980). The analysis of 6-component measurements of a random electromagnetic wave field in a magnetoplasma: - II. The integration kernels, *Geophys. J. R. Astr. Soc.* 62: 173-194. [Abstract](#).
- Storey, L.R.O. (1984). The energy density of electromagnetic waves in a cold magnetoplasma, *J. Plasma Phys.* 32: 309-318. [Abstract](#).
- Storey, L.R.O., and Chapron, S. (1988). Conditions for the existence and uniqueness of solutions to a constrained linear inverse problem, *Inverse Problems* 4: 249-271. [Abstract](#).
- Storey, L.R.O., Lefeuvre, F., Parrot, M., Cairó, L., and Anderson, R. R. (1991). Initial survey of the wave distribution functions for plasmaspheric hiss observed by ISEE 1, *J. Geophys. Res.* 96A: 19,469-19,489. [Article](#).

Storey, L.R.O. (1998). Revision of the basic equations of wave distribution function analysis, *Ann. Geophysicae* 16: 651-653. [Article](#).

Sundkvist, D., Vaivads, A., André, M., Wahlund, J.-E., Hobara, Y., Joko, S., Krasnoselskikh, V., Bogdanova, Y.V., Buchert, S.C., Cornilleau-Wehrlin, N., Fazakerley, A., Hall, J.-O., Rème, H., and Stenberg, G. (2005). Multi-spacecraft determination of wave characteristics near the proton gyrofrequency in high-altitude cusp, *Annales Geophysicae* 23; 983-995. [Article](#).

Thorne, R.M., and Horne, R.B. (2007). Comment on Khazanov et al. [2002] and Khazanov et al. [2006], *J. Geophys. Res.*, 112: A12214, doi:10.1029/2007JA012268. [Abstract](#).

Vaivads, A., André, M., Norqvist, P., Oscarsson, T., Rönmark, K., Blomberg, L., Clemmons, J.H., and Santolík, O. (1999). Energy transport during O⁺ energization by ELF waves observed by the Freja satellite, *J. Geophys. Res.*, 104A: 2563-2572. [Abstract](#).

Volkomirskaya, L.B., Gorbunov, S.A., Panfilov, S.B., and Reznikov, A.E. (1988). Determination of wave characteristics of VLF-waves by means of multicomponent electromagnetic field measurements, *Planet. Space Sci.* 36: 1305-1315. [Abstract](#).

Wu, X., Nagano, I., Bao, Z., and Shimbo, T. (1996). Numerical simulation of the penetration and reflection of a whistler beam incident on the lower ionosphere at very low latitude, *J. Atmos. Solar-Terr. Phys.* 58: 1143-1159. [Abstract](#).

Yamaguchi, M., Hattori, K., Iwama, N., Shimakura, S., and Hayakawa, M. (1993). A new ground-based direction finding method using the linear reconstruction of wave distribution function of magnetospheric VLF/ELF radio waves (in Japanese), *Trans. IEICE J76-B-II*: 880-889. [Abstract](#).

Articles in conference proceedings

Béghin, C., Cerisier, J.C., Rauch, J.-L., Berthelier, J.-J., Lefeuvre, F., Debrie, R., Maltseva, O.A., and Masevitch, N.I. (1985). Experimental evidence of field-aligned ELF plasma ducts in the ionospheric trough and in the auroral zone, In: *Résultats du Projet ARCAD 3 et des Programmes Récents en Physique de la Magnétosphère et de l'Ionosphère (Results from the ARCAD 3 Project and Recent Programs in Magnetospheric and Ionospheric Physics)*, Cepadues Editions, Toulouse, pp. 517-527.

Goto, Y., Kasahara, Y., and Sato, T. (2000). Direction Finding of the Waves in Plasma Using Energy Function. In: *Proceedings of the Third International Conference on Discovery Science, Lecture Notes in Computer Science*, vol. 1967, Springer-Verlag, London, UK, pp. 258-260.

Hattori, K., Hayakawa, M., Shimakura, S., Parrot, M., and Lefeuvre, F. (1989). On the observation and generation mechanism of hiss-triggered chorus in the outer magnetosphere. In: Proceedings of the International Symposium on Antennas and Propagation (ISAP), Tokyo, Japan, August 1989, IEICE, Tokyo.

Hattori K., Hayakawa, M., Lagoutte, D., Parrot, M., and Lefeuvre, F. (1991). An experimental study of the role of hiss in the generation of chorus in the outer magnetosphere, as based on spectral analyses and direction finding measurements onboard GEOS-1, Proceedings of the NIPR Symposium on Upper Atmospheric Physics, vol. 4, pp. 20-41.

Hayakawa, M., and Tanaka, Y. (1982). Determination of wave normal directions of magnetospheric VLF/ELF emissions based on the measurement of multiple field components onboard spacecrafts. In: Proceedings of the ISAS Symposium on Space Observation, Tokyo, pp. 539-557.

Hayakawa, M., Lefeuvre, F., and Rauch, J.L. (1985). The direction finding aboard Aureol-3 of ELF waves at frequency above and below the proton gyrofrequency. In: Résultats du Projet ARCAD 3 et des Programmes Récents en Physique de la Magnétosphère et de l'ionosphère (Results from the ARCAD 3 Project and Recent Programs in Magnetospheric and Ionospheric Physics), Cepadues Editions, Toulouse, pp. 499-507.

Hayakawa, M. (1988). Direction finding of half-gyrofrequency VLF emissions in the off-equatorial region of the magnetosphere. In: Proceedings of the NIPR Symposium on Upper Atmospheric Physics, vol. 1, pp. 168-172.

Hayakawa, M., Muto, H., Shimakura, S., Hattori, K., Parrot, M., and Lefeuvre, F. (1989). The wave normal directions of chorus emissions in the outer magnetosphere. In: Proceedings of the NIPR Symposium on Upper Atmospheric Physics, vol. 2, pp. 62-73.

Hayakawa, M. (1991). Direction finding of magnetospheric VLF/ELF emissions and their generation mechanism. In: Kikuchi, H. (ed), Environmental and Space Electromagnetics, Springer-Verlag, Tokyo, pp. 155-167.

Hayakawa, M. (1993). Study of generation mechanisms of magnetospheric VLF/ELF emissions based on the direction findings. In: Proceedings of the NIPR Symposium on Upper Atmospheric Physics, vol. 6, pp. 117-133.

Lefeuvre, F., and Parrot, M. (1984). The use of the spectral matrix in analysing the propagation characteristics of electromagnetic emissions. In: Proceedings of the Conference on the Achievements of the IMS, ESA SP-217, pp. 715-722.

Lefeuvre, F., and Parrot, M. (1984). The use of spectral matrix in analysing the propagation characteristics of electromagnetic emission. In: Proceedings of the Conference on Achievements of the IMS, Graz, Austria, 26-28 June 1984, European

Space Agency, Paris, Special Publication ESA SP-217.

Lefeuvre, F., Rauch, J.L., Parrot, M., and Lagoutte, D. (1987). Wave distribution function (WDF) in a multicomponent magnetoplasma. In: Proceedings of the Third International School for Space Simulation (ISSS-3), Beaulieu, France, 22-27 June 1987.

Oscarsson, T.E., and Rönmark, K. (1989). Wave distribution function analysis of satellite data. In: Proceedings of the 1989 URSI International Symposium on Electromagnetic Theory, Royal Institute of Technology, Stockholm, pp 126-128.

Parrot, M. and Lefeuvre, F. (1986). Main characteristics of hiss observed by GEOS-1. In: Comparative Study of Magnetospheric Systems, Proceedings of the International Colloquium, La Londe les Maures, France, September 9-13, 1985, Cepadues Editions, Toulouse, pp. 581-592.

Parrot, M. and Lefeuvre, F. (1996). Main characteristics of hiss observed by GEOS-1. In: Comparative Study of Magnetospheric Systems, Cepadues Editions, Toulouse, pp. 581-592.

Pinçon, J.-L. (1995). Cluster and the k-filtering. In: Proceedings of the Cluster Workshop on Data Analysis Tools, Braunschweig, Germany, 28-30 September 1994, ESA Special Publication 371, pp. 87-94.

Pinçon, J.-L., Lefeuvre, F., and Parrot, M. (1990). Experimental constraints in the characterization of a turbulent field from several satellites. In: Proceedings of the International Workshop on Space Plasma Physics Investigations by Cluster and Regatta, Graz, Austria, 20-22 February, 1990, ESA Special Publication 306, pp. 57-67.

Prot, O., Santolík, O., and Trotignon, J.-G. (2004). Ill-posed problem solving by an entropy regularization method: Application to the propagation analysis of electromagnetic waves. In: Proceedings of the 13th Annual Conference of Doctoral Students - WDS 2004, Matfyzpress, Prague, 15-18 June 2004, pp. 593-599.

Rauch, J.L., Cerisier, J.C., Berthelier, J.J., Lefeuvre, F., Boudko, N., Michailova, G., and Kapustina, O. (1985). Attenuation bands and cut-off frequencies for ELF electromagnetic waves. In: Résultats du Projet ARCAD 3 et des Programmes Récents en Physique de la Magnétosphère et de l'ionosphère (Results from the ARCAD 3 Project and Recent Programs in Magnetospheric and Ionospheric Physics), Cepadues Editions, Toulouse, pp. 465-484.

Santolík O. and Parrot, M. (1994). Direct problem of the wave distribution function in a hot magnetospheric plasma. In: Proceedings of the 3rd Annual Conference of Doctoral Students (WDS 94), Prague, 19-23 September, 1994.

Santolík O. and Parrot, M. (1995). Etude sur la fonction de distribution des ondes dans un plasma chaud (Study of the wave distribution function in a hot plasma). Proceedings of

the GDR Plasmae seminar, Tournon, France, 10-12 Avril 1995.

Santolík, O., and Parrot, M. (2006). Propagation analysis of electromagnetic waves: application to auroral kilometric radiation. In: *Geospace Electromagnetic Waves and Radiation, Lecture Notes in Physics*, vol. 687, Springer-Verlag, Berlin, Heidelberg, pp. 297-312.

Shimakura, S., and Hayakawa, M. (1987). On the estimation of wave energy distribution of magnetospheric VLF waves at the ionospheric base with ground-based multiple electromagnetic field components. In: *Proceedings of the Chapman Conference on Plasma Waves and Instabilities in Magnetospheres and at Comets*, Sendai, pp. 238-241.

Shimakura, S., and Hayakawa, M. (1989). A new direction finding technique for magnetospheric VLF waves observed on the ground. In: *Proceedings of the International Symposium on Antennas and Propagation (ISAP)*, IEICE, Tokyo, pp. 751-754.

Shimakura, S., and Hayakawa, M. (1991). On the estimation of the ionospheric exit regions of magnetospheric VLF radio waves by the use of wave energy distribution in wave number space. In: Kikuchi, H. (ed), *Environmental and Space Electromagnetics*, Springer-Verlag, Tokyo, pp. 299-309.

Storey, L.R.O., and Lefeuvre, F. (1974). Theory for the interpretation of measurements of a random electromagnetic wave field in space. In: Rycroft, M.J., and Reasenberg, R.D. (eds), *Space Research*, Akademie-Verlag, Berlin, vol. 14, pp. 381-386.

Storey, L.R.O. (1991). Radio sky mapping from satellites at very low frequencies. In: Kikuchi, H. (ed), *Environmental and Space Electromagnetics*, Springer-Verlag, Tokyo, pp. 310-323. (Also published as National Space Science Data Center, NASA Goddard Space Flight Center, Report No. NSSDC/WDC-A-R&S 91-25).

Storey, L.R.O. (1999). The measurement of wave distribution functions. In: Stuchly, M.A. (ed.), *Modern Radio Science 1999*, Oxford University Press, pp. 249-271.

Yamaguchi, M., Hattori, K., Iwama, N., and Hayakawa, M. (1992). A new direction finding method of magnetospheric VLF/ELF radio waves using regularization and generalized cross-validation. In: *Proceedings of the 1992 International Symposium on Antennas and Propagation (ISAP)*, IEICE, Tokyo, vol. 4, pp. 1165-1168.

Yamaguchi, M., Hattori, K., Iwama, N., Shimakura, S., and Hayakawa, M. (1994). A new direction finding method of magnetospheric VLF/ELF radio waves using the linear regularization and generalized cross-validation. In: Kikuchi, H. (ed), *Dusty and Dirty Plasmas, Noise and Chaos in Space and in the Laboratory*, Plenum Press, New York, pp. 405-414.

Degree theses

Buchalet, L.J. (1979). Analyse de champs d'ondes électromagnétiques à partir de modèles à une ou deux directions privilégiées (Analysis of electromagnetic wave fields, based on models with one or two privileged directions), Third Cycle Thesis, University of Orléans, France.

Hirari, M. (1996). Statistical methods and artificial neural networks in the direction finding of magnetospheric VLF/ELF radio waves, Doctor of Engineering Thesis, University of Electro-Communications, Tokyo, Japan.

Kasahara, Y. (1995). Study on ELF/VLF emissions in a multicomponent plasma observed by the Akebono satellite, Ph.D. Thesis, Kyoto University, Japan.

Lagoutte, D. (1983). Analyses spectrale et bispectrale de champs d'ondes électromagnétiques: modèle AR et bicohérence (Spectral and bispectral analyses of electromagnetic wave fields: autoregressive vector model and bicoherence), Third Cycle Thesis, University of Orléans, France.

LeDocq, M.J. (1998). Wave normal and Poynting flux directions of magnetospheric plasma waves, Ph. D. Thesis, University of Iowa, USA.

Lefeuvre, F. (1977). Analyse de champs d'ondes électromagnétiques aléatoires observés dans la magnétosphère à partir de la mesure simultanée de leurs six composantes (Analysis of random electromagnetic wave fields in the magnetosphere, based on simultaneous measurements of their six components), State Doctorate Thesis, University of Orléans, France.

Oscarsson, T. E. (1989). Stability analysis and reconstruction of wave distribution functions in warm plasmas, Ph. D. Thesis, University of Umeå, Sweden. (Also published as Swedish Institute of Space Physics, Umeå, IRF Scientific Report 201).

Pinçon, J.-L. (1989). Caractérisation d'un champ électromagnétique turbulent dans un plasma spatial à partir de mesures multipoints (Characterization of a turbulent electromagnetic field in a space plasma by means of multipoint measurements), University Doctorate Thesis, University of Orléans, France.

Prot, O. (2005). Méthode de régularisation entropique et application au calcul de la fonction de distribution des ondes (Entropy regularization method and application to the identification of the wave distribution function), University Doctorate Thesis, University of Orléans, France.

Santolík, O. (1995). Etude de la fonction de distribution des ondes dans un plasma chaud (A study of the wave distribution function in a hot plasma), University Doctorate Thesis, University of Orléans, France.

Sonwalkar, V.S. (1986). New signal analysis technique and its application to space

physics, Ph. D. Thesis, Stanford University, California.

Stenberg, G. (2005). The importance of waves in space plasmas: Examples from the auroral region and the magnetopause, Doctoral Thesis, Umeå University, Sweden.

Laboratory reports

Delannoy, C., and Lefeuvre, F. (1981). Logiciel de résolution d'un problème inverse à 1 variable: - 1. Exposé des méthodes, (Software for the solution of an inverse problem with 1 variable: - 1. Description of the methods) CNRS Center for Research in Physics of the Environment, Orléans, France, Technical Report No. CRPE/80.

Delannoy, C., and Lefeuvre, F. (1981). Logiciel de résolution d'un problème inverse à 1 variable: - 2. Documentation d'utilisation (Software for the solution of an inverse problem with 1 variable: - 2. Users' guide), CNRS Center for Research in Physics of the Environment, Orléans, France, Technical Report No. CRPE/81.

Lagoutte, D. (1981). Caractérisation des paramètres d'une onde électromagnétique à partir de mesures effectuées au sol (Characterisation of the parameters of an electromagnetic wave by means of measurements made on the ground), Université Orléans, U.E.R. Sciences Fondamentales et Appliquées, Orléans, France, Rapport de Diplôme d'Etudes Approfondies de Physique des Gaz et des Plasmas.

Lefeuvre, F., Parrot, M., Storey, L.R.O., and Anderson, R.R. (1983). Wave distribution functions for plasmaspheric hiss observed on board ISEE-1, CNRS Laboratory for Physics and Chemistry of the Environment, Orléans, France, Technical Report No. LPCE/6.

Lefeuvre, F., and Storey, L.R.O. (1977). The analysis of 6-component measurements of a random electromagnetic wave field in a magnetoplasma: - 2. Model identification, CNRS Center for Research in Physics of the Environment, Orléans, France, Technical Report No. CRPE/41.

Oscarsson, T., and de Feraudy, H. (1996). On the orientation of the Freja search coil magnetometer, Swedish Institute for Space Physics, Institutet för Rymdfysik, Umeå, Sweden, IRF Scientific Report 231.

Santolík, O. (1993), Etude sur les directions normales des ondes électromagnétiques dans un plasma (Study of the normal directions of the electromagnetic waves in a plasma), CNRS Laboratory for Physics and Chemistry of the Environment, Orléans, France, Technical Report No. LPCE/NTS/018.A.

Santolík, O., Lefeuvre, F., and Brochot, J.Y. (2000). Détermination complète de la direction du vecteur d'onde à partir de données MEMO TBF (Full determination of the direction of the wave vector from MEMO VLF data), CNRS Laboratory for Physics and Chemistry of the Environment, Orléans, France, Technical Report No. LPCE/NTS/074.A.

Storey, L.R.O. (1987). Final project report on wave distribution function analysis of plasmaspheric hiss (Prepared under NSF Grant No. ATM-8318186), Space, Telecommunications, and Radioscience Laboratory, Stanford University, Technical Report No. D-711-2.

Storey, L.R.O., and Yeh, K. (1992). Data synthesis and display programs for wave distribution function analysis, National Space Science Data Center, NASA Goddard Space Flight Center, Report No. NSSDC/WDC-A-R&S 92-05.

Posters and viewgraphs

Lefevre, F. (2001). Inverse problems. Presented at: School on Analysis Techniques for Space Plasma Data, La Londe les Maures, France, 8-13 October.

Prot, O., Santolík, O., Bergounioux, M., and Trotignon, J.-G. (2005). Entropy regularization method applied to analyses of electromagnetic waves in a plasma. Presented at: General Assembly, European Geophysical Union, Vienna, 24-29 April.

Santolík, O., Nemeč, F., Parrot, M., and Berthelier, J.J. (2005). Wave propagation analysis using multi-component wave measurements on board the DEMETER spacecraft. Presented at: DEMETER Guest Investigator Workshop, Centre National d'Etudes Spatiales, Paris, France, 2- 4 May.

Santolík, O. (2007). AC field measurements and wave analysis tools. Presented at: 6th COSPAR Capacity Building Workshop, Regional Workshop for Space Physicists from Central and Eastern Europe, Sinaia, Romania, 4-16 June.

Storey, L.R.O. (1999). Wave distribution functions in magnetospheric physics. Presented at: 26th General Assembly of U.R.S.I., Toronto, Canada, 13-21 August.

Please point out any errors or omissions by sending an e-mail to
[**lrostorey@gmail.com**](mailto:lrostorey@gmail.com)